

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	263	(726/2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 19:59
L2	340	(726/3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L3	1159	(726/4).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L4	486	(726/5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L5	183	(726/9).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L6	138	(726/16).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L7	162	(726/17).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L8	106	(726/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L9	242	(726/19).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00

EAST Search History

L10	109	(726/20).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L11	190	(726/21).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L12	1026	(726/26).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L13	304	(726/27).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:00
L14	213	(726/28).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:01
L15	4689	(235/375).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 20:01
L16	0	15 and (applicantion with (access authoriz\$5 verif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:02
L17	376	15 and (application with (access authoriz\$5 verif\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:02
L19	110	705/34.ccls. and @ad<"19980901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:07
L20	26	463/25.ccls. and @ay<="1999" and (PDA (personal adj digital adj assistant) laptop ((mobile portable) near device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:07

EAST Search History

L21	26	463/25.ccls. and @ay<="1999" and (PDA (personal adj digital adj assistant) laptop ((mobile portable) near device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:07
L22	523	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:08
L23	234	713/182.ccls. and (card with (code pin password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:08
L24	51	705/63.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:08
L25	661	235/382.ccls. and (card with (code pin password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:08
L26	257	713/185.ccls. and (card with (code pin password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:08
L27	110	705/34.ccls. and @ad<"19980901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:09
L28	234	713/182.ccls. and (card with (code pin password passcode passphrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 20:09



[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 105,000 for **card access computer application**. (0.19 seconds)

The WebBook and the Web Forager: An Information Workspace for the World-Wide Web - group of 14 »

SK Card, GG Robertson, W York - CHI, 1996 - portal.acm.org

... Alto, California 94304 E-mail: {card | robertson | york ... graphics, user interfaces, information access, World-Wide ... Whereas personal computers used to be viewed ...

Cited by 239 - Web Search

[book] The psychology of human-computer interaction

SK Card, TP Moran, A Newell - 1983 - books.google.com

... for permission to use in Chapter 8 portions of Card, SK, Moran, TP ... It can be termed a dialogue because both the computer and the user have access to the ...

Cited by 1734 - Web Search - Library Search

Information Visualization Using 3D Interactive Animation - group of 3 »

GG Robertson, SK Card, JD Mackinlay - Communications of the ACM, 1993 - portal.acm.org

... Jock D. Mackinlay , Stuart K. Card, Cone Trees ... A hierarchical single-key-lock access control using the ... Presenting computer algorithm knowledge units in computer ...

Cited by 326 - Web Search - BL Direct

[book] Unified theories of cognition

A Newell - 1990 - Harvard University Press Cambridge Mass.; London

Cited by 1487 - Web Search - Library Search

[book] Computer security - group of 2 »

D Gollmann - 1999 - engg.upd.edu.ph

... Your card can be stolen, but not the number. ... Authorisation (access control): prevention ... detection of unauthorised actions by users of a computer system – How ...

Cited by 305 - View as HTML - Web Search - Library Search

[book] Database security

S Castano, MG Fugini, G Martella, P Samarati - 1995 - ACM Press/Addison-Wesley Publishing Co., New York, NY

Cited by 273 - Web Search - Library Search

The information visualizer, an information workspace - group of 9 »

SK Card, GG Robertson, JD Mackinlay - Proceedings of the SIGCHI conference on Human factors in ..., 1991 - portal.acm.org

... problem (for a desktop or a computer desktop metaphor ... then searching time can raise the access cost of ... to view all the 3D workspaces simultaneously (Card Plate 1 ...

Cited by 315 - Web Search

The Grid: Blueprint for a New Computing Infrastructure - group of 3 »

I Foster, C Kesselman - San Francisco, 1999 - portal.acm.org

... simple and easy way to access computational and ... GRB-GSIFTP library, Future Generation Computer Systems, v ... Balasubramaniam Maniymaran , Paul Card , Farag Azzedin ...

Cited by 2520 - Web Search - Library Search

Context-aware computing applications - group of 18 »

BN Schilit, N Adams, R Want... - 1994 - ubicomp.com

... These systems aim to provide ubiquitous **access** to information ... the button to invoke a **card** catalogue database ... information entered into the **computer** is tagged ...

Cited by 624 - View as HTML - Web Search - Library Search

Rooms: The Use of Multiple Virtual Workspaces to Reduce Space Contention in a Window-Based Graphical ... - group of 3 »

D AUSTIN HENDERSON JR, SK CARD - ACM Transactions on Graphics, 1986 - portal.acm.org

... HENDERSON, JR., and STUART K. CARD Xerox Palo ... on the effectiveness of window-based human-computer ... by exploiting the statistics of window **access**, dividing the ...

Cited by 219 - Web Search

Google ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google

PORTAL

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

card access authorization computer application

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used card access authorization computer application Found 122,080 of 173,942

Sort results by relevance Save results to a Binder Try an Advanced Search
Display results expanded form Search Tips Try this search in The ACM Guide

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown Relevance scale

1 Cross-domain one-shot authorization using smart cards 
 Richard Au, Mark Looi, Paul Ashley November 2000 **Proceedings of the 7th ACM conference on Computer and communications security**
Publisher: ACM Press
 Full text available:  pdf(283.05 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: access control, authorization scheme, authorization server, one-shot authorization token, smart card

2 Applications: A context-related authorization and access control method based on RBAC: 
 Marc Wilikens, Simone Feriti, Alberto Sanna, Marcelo Masera June 2002 **Proceedings of the seventh ACM symposium on Access control models and technologies**
Publisher: ACM Press
 Full text available:  pdf(260.70 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
 This paper describes an application of authorization and access control based on the Role Based Access Control (RBAC) method and integrated in a comprehensive trust infrastructure of a health care application. The method is applied to a health care business process that involves multiple actors accessing data and resources needed for performing clinical and logistics tasks in the application. The notion of trust constituency is introduced as a concept for describing the context of authorisation. ...

Keywords: role based access control (RBAC), secure health care system, trust infrastructure

3 Proposed NIST standard for role-based access control 
 David F. Ferraiolo, Ravi Sandhu, Serban Gavrila, D. Richard Kuhn, Ramaswamy Chandramouli August 2001 **ACM Transactions on Information and System Security (TISSEC)**, Volume 4 Issue 3
Publisher: ACM Press

Full text available:  pdf(417.90 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this article we propose a standard for role-based access control (RBAC). Although RBAC models have received broad support as a generalized approach to access control, and are well recognized for their many advantages in performing large-scale authorization management, no single authoritative definition of RBAC exists today. This lack of a widely accepted model results in uncertainty and confusion about RBAC's utility and meaning. The standard proposed here seeks to resolve this situation by u ...

Keywords: Role-based access control, access control, authorization management, security, standards

4 Access management for distributed systems: Peer-to-peer access control



◆ architecture using trusted computing technology

Ravi Sandhu, Xinwen Zhang

June 2005 **Proceedings of the tenth ACM symposium on Access control models and technologies**

Publisher: ACM Press

Full text available:  pdf(215.48 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

It has been recognized for some time that software alone does not provide an adequate foundation for building a high-assurance trusted platform. The emergence of industry-standard trusted computing technologies promises a revolution in this respect by providing roots of trust upon which secure applications can be developed. These technologies offer a particularly attractive platform for security in peer-to-peer environments. In this paper we propose a trusted computing architecture to enforce ac ...

Keywords: access control, policy enforcement, security architecture, trusted computing

5 A model of OASIS role-based access control and its support for active security



◆ Jean Bacon, Ken Moody, Walt Yao

November 2002 **ACM Transactions on Information and System Security (TISSEC)**,

Volume 5 Issue 4

Publisher: ACM Press

Full text available:  pdf(352.06 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

OASIS is a role-based access control architecture for achieving secure interoperation of services in an open, distributed environment. The aim of OASIS is to allow autonomous management domains to specify their own access control policies and to interoperate subject to service level agreements (SLAs). Services define roles and implement formally specified policy to control role activation and service use; users must present the required credentials, in an appropriate context, in order to activat ...

Keywords: Certificates, OASIS, RBAC, distributed systems, policy, role-based access control, service-level agreements

6 A taxonomy of computer program security flaws



◆ Carl E. Landwehr, Alan R. Bull, John P. McDermott, William S. Choi

September 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 3

Publisher: ACM Press

Full text available:  pdf(3.81 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

terms, review

An organized record of actual flaws can be useful to computer system designers, programmers, analysts, administrators, and users. This survey provides a taxonomy for computer program security flaws, with an Appendix that documents 50 actual security flaws. These flaws have all been described previously in the open literature, but in widely separated places. For those new to the field of computer security, they provide a good introduction to the characteristics of security flaws and how they ...

Keywords: error/defect classification, security flaw, taxonomy

- 7 [Access control: An access control framework for business processes for web services](#) 

 Hristo Koshutanski, Fabio Massacci
October 2003 **Proceedings of the 2003 ACM workshop on XML security**

Publisher: ACM Press

Full text available:  pdf(269.56 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

Business Processes for Web Services are the new paradigm for the lightweight integration of business from different enterprises. Whereas the security and access control policies for basic web services and distributed systems are well studied and almost standardized, there is not yet a comprehensive proposal for an access control architecture for business processes. The major issue is that a business process describe complex services that cross organizational boundaries and are provided by entities ...

Keywords: controlled disclosure, distributed systems security, e-business, interactive access control, security management, web services

- 8 [A composable framework for secure multi-modal access to internet services from Post-PC devices](#) 

Steven J. Ross, Jason L. Hill, Michael Y. Chen, Anthony D. Joseph, David E. Culler, Eric A. Brewer

October 2002 **Mobile Networks and Applications**, Volume 7 Issue 5

Publisher: Kluwer Academic Publishers

Full text available:  pdf(340.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

The Post-PC revolution is bringing information access to a wide range of devices beyond the desktop, such as public kiosks, and mobile devices like cellular telephones, PDAs, and voice based vehicle telematics. However, existing deployed Internet services are geared toward the secure rich interface of private desktop computers. We propose the use of an infrastructure-based secure proxy architecture to bridge the gap between the capabilities of Post-PC devices and the requirements of Internet services ...

Keywords: internet, middleware, post-PC, security, transcoding

- 9 [SIGCOMM 1- Software-hardware interactions: An experimental application of cryptography to a remotely accessed data system](#) 

 J. L. Smith, W. A. Notz, P. R. Osseck
August 1972 **Proceedings of the ACM annual conference - Volume 1**

Publisher: ACM Press

Full text available:  pdf(1.46 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

An experimental system has been developed which illustrates ways cryptography can be applied to certain data-security problems concerning remotely accessible data files. These problems are in two main classes: security of data while in transit over communications lines and security of data while in storage. The system makes use of a combination of software and special hardware to provide enciphering and deciphering of messages between a terminal and a data processor. Not only is the content of m ...

Keywords: communication security, cryptography, data communications, data security, data-base protection, file protection, teleprocessing, terminals authentication, time-shared systems

10 On-line e-wallet system with decentralized credential keepers

Stig Frode Mjølsnes, Chunming Rong

February 2003 **Mobile Networks and Applications**, Volume 8 Issue 1

Publisher: Kluwer Academic Publishers

Full text available:  [pdf\(240.23 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We propose a generalization of the architecture of an electronic wallet, as first developed in the seminal European research project CAFE. With this model you can leave most of the content of your electronic wallet at the security of your residential electronic keeper, while roaming with your favorite mobile terminals. Emerging mobile handsets with both short range Bluetooth and cellular GPRS communications provide a sufficient communication platform for this electronic wallet architecture. Howe ...

Keywords: digital credentials, e-wallet architecture, mobile commerce, payment protocols, privacy

11 A fine-grained access control system for XML documents

 Ernesto Damiani, Sabrina De Capitani di Vimercati, Stefano Paraboschi, Pierangela Samarati
May 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5

Issue 2

Publisher: ACM Press

Full text available:  [pdf\(330.60 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web-based applications greatly increase information availability and ease of access, which is optimal for public information. The distribution and sharing of information via the Web that must be accessed in a selective way, such as electronic commerce transactions, require the definition and enforcement of security controls, ensuring that information will be accessible only to authorized entities. Different approaches have been proposed that address the problem of protecting information in a Web ...

Keywords: Access control, World Wide Web, XML documents, authorizations specification and enforcement

12 Unlinkable serial transactions: protocols and applications

 Stuart G. Stubblebine, Paul F. Syverson, David M. Goldschlag
November 1999 **ACM Transactions on Information and System Security (TISSEC)**,
Volume 2 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(184.87 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a protocol for unlinkable serial transactions suitable for a variety of network-based subscription services. It is the first protocol to use cryptographic blinding to enable

subscription services. The protocol prevents the service from tracking the behavior of its customers, while protecting the service vendor from abuse due to simultaneous or cloned use by a single subscriber. Our basic protocol structure and recovery protocol are robust against failure in protocol termination. ...

Keywords: anonymity, blinding, cryptographic protocols, unlinkable serial transactions

13 Network layer access control for context-aware IPv6 applications

Adrian Friday, Maomao Wu, Joe Finney, Stefan Schmid, Keith Cheverst, Nigel Davies
July 2003 **Wireless Networks**, Volume 9 Issue 4

Publisher: Kluwer Academic Publishers

Full text available:  [pdf\(3.57 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

As part of the Lancaster GUIDE II project, we have developed a novel wireless access point protocol designed to support the development of next generation mobile context-aware applications in our local environs. Once deployed, this architecture will allow ordinary citizens secure, accountable and convenient access to a set of tailored applications including location, multimedia and context based services, and the public Internet. Our architecture utilises packet marking and network level packet ...

Keywords: authentication, mobile IPv6, public access point, security, wireless Internet

14 Content-triggered trust negotiation

 Adam Hess, Jason Holt, Jared Jacobson, Kent E. Seamons
August 2004 **ACM Transactions on Information and System Security (TISSEC)**, Volume 7
Issue 3

Publisher: ACM Press

Full text available:  [pdf\(815.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The focus of access control in client/server environments is on protecting sensitive server resources by determining whether or not a client is authorized to access those resources. The set of resources is usually static, and an access control policy associated with each resource specifies who is authorized to access the resource. In this article, we turn the traditional client/server access control model on its head and address how to protect the sensitive content that clients disclose to and r ...

Keywords: Trust negotiation, access control, authentication, credentials

15 Access control with IBM Tivoli access manager

 Günter Karjoth
May 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6
Issue 2

Publisher: ACM Press

Full text available:  [pdf\(367.07 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web presence has become a key consideration for the majority of companies and other organizations. Besides being an essential information delivery tool, the Web is increasingly being regarded as an extension of the organization itself, directly integrated with its operating processes. As this transformation takes place, security grows in importance. IBM Tivoli Access Manager offers a shared infrastructure for authentication and access management, technologies that have begun to emerge in the com ...

Keywords: Access control, WWW security, Web servers, authorization management

16 Delegation logic: A logic-based approach to distributed authorization

Ninghui Li, Benjamin N. Grosof, Joan Feigenbaum

February 2003 **ACM Transactions on Information and System Security (TISSEC)**, Volume 6 Issue 1

Publisher: ACM Press

Full text available: pdf(316.24 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We address the problem of authorization in large-scale, open, distributed systems. Authorization decisions are needed in electronic commerce, mobile-code execution, remote resource sharing, privacy protection, and many other applications. We adopt the trust-management approach, in which "authorization" is viewed as a "*proof-of-compliance*" problem: Does a set of credentials prove that a request complies with a policy? We develop a logic-based language, called *Delegation Logic* (DL), t ...

Keywords: Access control, Delegation Logic, distributed system security, logic programs, trust management

17 Columns: Risks to the public in computers and related systems

Peter G. Neumann

January 2001 **ACM SIGSOFT Software Engineering Notes**, Volume 26 Issue 1

Publisher: ACM Press

Full text available: pdf(3.24 MB) Additional Information: [full citation](#)

18 A secure infrastructure for service discovery and access in pervasive computing

Jeffrey Undercoffer, Filip Perich, Andrej Cedičnik, Lalana Kagal, Anupam Joshi

April 2003 **Mobile Networks and Applications**, Volume 8 Issue 2

Publisher: Kluwer Academic Publishers

Full text available: pdf(308.34 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Security is paramount to the success of pervasive computing environments. The system presented in this paper provides a communications and security infrastructure that goes far in advancing the goal of anywhere-anytime computing. Our work securely enables clients to access and utilize services in heterogeneous networks. We provide a service registration and discovery mechanism implemented through a hierarchy of service management. The system is built upon a simplified Public Key Infrastructure t ...

Keywords: distributed services, extensible markup language, pervasive computing, security, smartcards

19 Trust but verify: authorization for web services

Christian Skalka, X. Sean Wang

October 2004 **Proceedings of the 2004 workshop on Secure web service SWS '04**

Publisher: ACM Press

Full text available: pdf(375.55 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Through web service technology, distributed applications can be built in a flexible manner, bringing tremendous power to applications on the web. However, this flexibility poses significant challenges to security. In particular, an end user (be it human or machine) may access a web service directly, or through a number of intermediaries, while these intermediaries may be formed on the fly for a particular task. Traditional access control

for distributed systems is not flexible and efficient enou ...

Keywords: access control logic, distributed authorization, web services

- 20 Securing wireless applications: ESCORT: a decentralized and localized access control system for mobile wireless access to secured domains



Jiejun Kong, Shirshanka Das, Edward Tsai, Mario Gerla

September 2003 **Proceedings of the 2003 ACM workshop on Wireless security**

Publisher: ACM Press

Full text available: [pdf\(401.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this work we design and implement ESCORT, a *backward compatible, efficient, and secure* access control system, to facilitate mobile wireless access to secured wireless LANs. In mobile environments, a mobile guest may frequently roam into foreign domains while demanding critical network services. ESCORT provides instant yet secure access to the mobile guest based on the concept of "escort", which refers to a special network object with four distinct properties: (1) T ...

Keywords: decentralized access control, identity privacy, location privacy, mobile privacy, wireless security

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:

[Adobe Acrobat](#)

[QuickTime](#)

[Windows Media Player](#)

[Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((computer access)<in>metadata)"

[Email](#)Your search matched **40** of **1332769** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.**» Search Options**[View Session History](#)[New Search](#)**Modify Search**

((computer access)<in>metadata)

[Search](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract**» Key****IEEE JNL** IEEE Journal or Magazine [view selected items](#) [Select All](#) [Deselect All](#)**IEE JNL** IEE Journal or Magazine

- 1. Improved access to computers for the visually handicapped: new principles
Burger, D.;
[Rehabilitation Engineering, IEEE Transactions on \[see also IEEE Trans. on Ne Rehabilitation\]](#)
Volume 2, Issue 3, Sept. 1994 Page(s):111 - 118
Digital Object Identifier 10.1109/86.331560
[AbstractPlus](#) | Full Text: [PDF\(756 KB\)](#) [IEEE JNL Rights and Permissions](#)

IEEE CNF IEEE Conference Proceeding

- 2. A multilayer neural network system for computer access security
Obaidat, M.S.; Macchiarolo, D.T.;
[Systems, Man and Cybernetics, IEEE Transactions on](#)
Volume 24, Issue 5, May 1994 Page(s):806 - 813
Digital Object Identifier 10.1109/21.293498
[AbstractPlus](#) | Full Text: [PDF\(648 KB\)](#) [IEEE JNL Rights and Permissions](#)

IEEE CNF IEEE Conference Proceeding

- 3. Remote participation technologies in the EFDA Laboratories - status and
Schmidt, V.; How, J.A.;
[Fusion Engineering, 2003. 20th IEEE/NPSS Symposium on](#)
14-17 Oct. 2003 Page(s):632 - 635
Digital Object Identifier 10.1109/FUSION.2003.1426726
[AbstractPlus](#) | Full Text: [PDF\(1778 KB\)](#) [IEEE CNF Rights and Permissions](#)

IEEE STD IEEE Standard

- 4. Computer-access authentication with neural network based keystroke id verification
Daw-Tung Lin;
[Neural Networks, 1997., International Conference on](#)
Volume 1, 9-12 June 1997 Page(s):174 - 178 vol.1
Digital Object Identifier 10.1109/ICNN.1997.611659
[AbstractPlus](#) | Full Text: [PDF\(364 KB\)](#) [IEEE CNF Rights and Permissions](#)

- 5. Adaptable and configurable systems to enable disabled people to access systems
Blenkhorn, P.;

[Special Needs and the Interface, IEE Colloquium on](#)
13 Jan 1993 Page(s):311 - 312

[AbstractPlus](#) | Full Text: [PDF\(88 KB\)](#) [IEE CNF](#)

- 6. The Camera Mouse: visual tracking of body features to provide computer people with severe disabilities**
Betke, M.; Gips, J.; Fleming, P.;
[Neural Systems and Rehabilitation Engineering, IEEE Transactions on \[see all\]](#)
[Rehabilitation Engineering](#)
Volume 10, Issue 1, March 2002 Page(s):1 - 10
Digital Object Identifier 10.1109/TNSRE.2002.1021581
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(319 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 7. Solving Computer Access Needs - A Local Area Network Approach**
Nall, K.; Clayton, D.;
[OCEANS](#)
Volume 16, Sep 1984 Page(s):105 - 108
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- 8. Computer-access security systems using keystroke dynamics**
Bleha, S.; Slivinsky, C.; Hussien, B.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 12, Issue 12, Dec. 1990 Page(s):1217 - 1222
Digital Object Identifier 10.1109/34.62613
[AbstractPlus](#) | Full Text: [PDF\(560 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 9. An online neural network system for computer access security**
Obaidat, M.S.; Macchiarolo, D.T.;
[Industrial Electronics, IEEE Transactions on](#)
Volume 40, Issue 2, April 1993 Page(s):235 - 242
Digital Object Identifier 10.1109/41.222645
[AbstractPlus](#) | Full Text: [PDF\(628 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 10. Optimal digital filtering for tremor suppression**
Gonzalez, J.G.; Heredia, E.A.; Rahman, T.; Barner, K.E.; Arce, G.R.;
[Biomedical Engineering, IEEE Transactions on](#)
Volume 47, Issue 5, May 2000 Page(s):664 - 673
Digital Object Identifier 10.1109/10.841338
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(224 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 11. Adaptive software for head-operated computer controls**
LoPresti, E.F.; Brienza, D.M.;
[Neural Systems and Rehabilitation Engineering, IEEE Transactions on \[see all\]](#)
[Rehabilitation Engineering](#)
Volume 12, Issue 1, March 2004 Page(s):102 - 111
Digital Object Identifier 10.1109/TNSRE.2003.822762
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(368 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- 12. A wireless emulation management system for learning Mandarin phonetic Morse code**
Cheng-Hong Yang; Li-Yeh Chuang; Shyang-Lung Lin; Chi-Min Wang;
[Advanced Learning Technologies, 2005. ICALT 2005. Fifth IEEE International](#)
5-8 July 2005 Page(s):106 - 107

Digital Object Identifier 10.1109/ICALT.2005.35

[AbstractPlus](#) | Full Text: [PDF\(61 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 13. A text graphics character CAPTCHA for password authentication**
Dailey, M.; Namprempre, C.;
[TENCON 2004. 2004 IEEE Region 10 Conference](#)
Volume B, 21-24 Nov. 2004 Page(s):45 - 48 Vol. 2
Digital Object Identifier 10.1109/TENCON.2004.1414527
[AbstractPlus](#) | Full Text: [PDF\(1915 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 14. Exploring edge-based input techniques for handheld text entry**
Wobbrock, J.O.; Myers, B.A.; Hudson, S.E.;
[Distributed Computing Systems Workshops, 2003. Proceedings. 23rd International](#)
on
19-22 May 2003 Page(s):280 - 282
Digital Object Identifier 10.1109/ICDCSW.2003.1203567
[AbstractPlus](#) | Full Text: [PDF\(279 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 15. Feature extraction in development of brain-computer interface: a case study**
Polak, M.; Kostov, A.;
[Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th Annual International Conference of the IEEE](#)
Volume 4, 29 Oct.-1 Nov. 1998 Page(s):2058 - 2061 vol.4
Digital Object Identifier 10.1109/IEMBS.1998.747011
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 16. Supports for students with disability through technology-challenge at California State University, Northridge**
Kohama, A.;
[TRON Project International Symposium, 1996. TEPS '96](#)
4-7 Dec. 1996 Page(s):121 - 122
Digital Object Identifier 10.1109/TRON.1996.566201
[AbstractPlus](#) | Full Text: [PDF\(148 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 17. Programs of the Center on Disabilities at California State University, Northridge**
Murphy, H.J.;
[TRON Project International Symposium, 1996. TEPS '96](#)
4-7 Dec. 1996 Page(s):118 - 120
Digital Object Identifier 10.1109/TRON.1996.566200
[AbstractPlus](#) | Full Text: [PDF\(228 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 18. Physical access to computers: can your computer be trusted?**
Fabian, W.;
[Security Technology, 1995. Proceedings. Institute of Electrical and Electronics Engineers Annual 1995 International Carnahan Conference on](#)
18-20 Oct. 1995 Page(s):244 - 251
Digital Object Identifier 10.1109/CCST.1995.524920
[AbstractPlus](#) | Full Text: [PDF\(588 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- 19. Single switch input for C-64 computer**
Gunn, R.D.;
[Computing Applications to Assist Persons with Disabilities, 1992., Proceedings](#)

[Hopkins National Search for](#)
1-5 Feb. 1992 Page(s):95 - 96
Digital Object Identifier 10.1109/CAAPWD.1992.217435
[AbstractPlus | Full Text: PDF\(128 KB\) IEEE CNF](#)
[Rights and Permissions](#)

- 20. Integrating physical and computer access control systems**
Smith, J.M.; Charland, R.;
[Security Technology, 1994. Proceedings. Institute of Electrical and Electronics Annual 1994 International Carnahan Conference on](#)
12-14 Oct. 1994 Page(s):176 - 179
Digital Object Identifier 10.1109/CCST.1994.363771
[AbstractPlus | Full Text: PDF\(308 KB\) IEEE CNF](#)
[Rights and Permissions](#)
- 21. Integrated CIS VLF/Omega receiver design**
Peterson, B.; Gross, K.; Chamberlin, E.; Montague, T.; Jones, W.;
[Aerospace and Electronic Systems Magazine, IEEE](#)
Volume 8, Issue 1, Jan. 1993 Page(s):9 - 20
Digital Object Identifier 10.1109/62.180381
[AbstractPlus | Full Text: PDF\(652 KB\) IEEE JNL](#)
[Rights and Permissions](#)
- 22. A throughput/delay comparison: narrowband versus broadband wireless**
Acampora, A.S.; Zhang, Z.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 42, Issue 3, Aug. 1993 Page(s):266 - 273
Digital Object Identifier 10.1109/25.231877
[AbstractPlus | Full Text: PDF\(596 KB\) IEEE JNL](#)
[Rights and Permissions](#)
- 23. Money and the Internet: a strange new relationship**
Anderson, H.;
[Spectrum, IEEE](#)
Volume 34, Issue 2, Feb. 1997 Page(s):74 - 76
Digital Object Identifier 10.1109/6.570838
[AbstractPlus | Full Text: PDF\(820 KB\) IEEE JNL](#)
[Rights and Permissions](#)
- 24. Taking handheld devices to the next level**
Myers, B.A.; Nichols, J.; Wobbrock, J.O.; Miller, R.C.;
[Computer](#)
Volume 37, Issue 12, Dec. 2004 Page(s):36 - 43
Digital Object Identifier 10.1109/MC.2004.258
[AbstractPlus | Full Text: PDF\(1784 KB\) IEEE JNL](#)
[Rights and Permissions](#)
- 25. Speech control of assistive devices for the physically disabled**
Damper, R.;
[Acoustics, Speech, and Signal Processing, IEEE International Conference on](#)
Volume 11, Apr 1986 Page(s):653 - 656
[AbstractPlus | Full Text: PDF\(76 KB\) IEEE CNF](#)
[Rights and Permissions](#)



© Copyright 2006 IEEE -